



Wholesale Supplier
HOSPITAL FURNITURE DELUXE
QUALITY
A to Z Hospital Equipment and Surgical
Products B to C



9762 058 786



9762 058 786



info@savelifeindia.com



Sr. No. 29/1/2, Adarsh Nagar,
Uruli Devachi, Hadapsar, Pune
Network: PAN India



www.savelifeindia.com



Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LiFE

Everything Under One Roof!

Certified Company

25 YEARS EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

Delivering Quality Hospital Equipment's

HOSPITAL FURNITURE





Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LiFE

Everything Under One Roof!

Certified Company

25 YEARS EXPERIENCE



GSTIN-27AFPPS3549Q1ZB




Specialist in Hospital Setup

FIVE FUNCTIONS ELECTRIC ICU BED

Descriptions:

- Frame work made of strong Rectangular CRCA pipe.
- Four section tops made of perforated ABS structure
- Back Rest, Knee Rest, TB, RTB & Hi-Low Position operated with hand remote & nurse control panel.
- Heavy duty ABS curved Head & Foot Panel with attached buffer.
- Heavy duty ABS full length Tuck away safety side rails with angle indicator on both sides.
- Nurse Control panel which operates all functions with electronic CPR & provision for locking positions of bed.
- Battery backup option for uncertain power cut.
- Bed mounted on 125mm Dia double tier Castors (2 with breaks)
- S.S telescopic IV Rod with 4 foldable hooks.
- Provision for Mattress guard & urine bag holder on both sides.
- 4" Thick Medical Grade Mattress of 40 Density.
- Fibre base cover to protect from dust.
- Overall Size: 2200L X 1000W X 600-800H mm.
- Finish: Epoxy powder coated.





Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LiFE

Everything Under One Roof!

Certified Company

25 YEARS EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

FIVE FUNCTIONS ELECTRIC ICU BED

Descriptions:

- Frame work made of strong Rectangular CRCA pipe.
- Four section tops made of CRCA Sheet
- Back Rest, Knee Rest, TB, RTB & Hi-Low Position operated with hand remote only.
- ABS Head & Foot Panel.
- ABS Tuck away safety side rails.
- Bed mounted on 125mm Dia double tier Castors (2 with breaks)
- S.S telescopic IV Rod with 4 foldable hooks.
- Provision for Mattress guard & urine bag holder on both sides.
- 4" Thick Medical Grade Mattress of 40 Density.
- Fibre base cover to protect from dust.
- Overall Size: 2200L X 1000W X 600-800H mm.
- Finish: Epoxy powder coated.





Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LIFE

Everything Under One Roof!

Certified Company

25 YEARS EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

ICU BED ELECTRIC

Descriptions:

- Frame work made of strong Rectangular CRCA pipe.
- Four section tops made of CRCA Sheet
- Back Rest, Knee Rest, TB, RTB & Hi-Low Position operated with hand remote only.
- Heavy duty ABS Head & Foot Panel.
- Heavy duty ABS Tuck away safety side rails with angle indicator.
- Bed mounted on 125mm Dia double tier Castors (2 with breaks)
- S.S telescopic IV Rod with 4 foldable hooks.
- Provision for Mattress guard & urine bag holder on both sides.
- 4" Thick Medical Grade Mattress of 40 Density.
- Overall Size: 2200L X 1000W X 600-800H mm.
- Finish: Epoxy powder coated.



Nurse Control



Central Locking






Descriptions:

- Advance linear actuator system [04Pc Control box, 01Pc Handset, 01 Pc. Nurse Control System (ACP)]
- All positions can be controlled by a wired remote hand set placed on the side rail or by ACP (attendant control panel) at the foot end
- Easily detachable polymer head and foot bows with buffer
- Extra-long 4pcs. Under side Occidental style side rails with inclination degree indicators
- Four section ABS top
- Framework made up of M.S tubes
- Bed Mounted on 5" Central Locking ABS Castors, Durable and quiet
- S.S. Telescopic I.V. Rod with 4 Location
- Holder for Urine Bag
- Sitting position adjustable
- Finish: Pre-treated & Epoxy Powder Coated
- Overall Approx. Size: 2060L x 900W x 470-810H mm
- C4 Section Mattress (MP-2001C)
- LED Lamp as reading lamp or under Bed lamp

- Positions Obtained by Hand Remote:
 - Hi-Low: Backrest elevation
 - Knee rest elevation
 - Trendelenburg / Reverse Trendelenburg
- Positions obtained by membrane
 - Hi-Low: Backrest elevation
 - Knee rest elevation
 - Trendelenburg/Reverse Trendelenburg
 - Electric CPR for zero positioning of bed
 - Fowler position
- Positions obtained/Functions on Nurse Control System (ACP)
 - Hi-Low with Locking function for handset
 - Backrest elevation with Locking function for handset
 - Knee rest elevation with locking function for handset
 - Trendelenburg / Reverse Trendelenburg with locking function for handset
 - One button Electric CPR Position and manual CPR Function for any Emergency case



Nurse Control



Central Locking Castors.





Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LiFE

Everything Under One Roof!

Certified Company

25

YEARS
EXPERIENCE



GSTIN-27AFPPS3549Q1ZB




Specialist in Hospital Setup

ICU BED ELECTRIC

Descriptions:

- Advance linear actuator system [04Pc Control box, 01Pc Handset, 01 Pc. Nurse Control System (ACP)]
- All positions can be controlled by a wired hand set
- Extra-long 4pcs. Under side Occidental style side rails with inclination degree indicators
- Heavy ABS Head and Foot Panel with locking and corner buffer ABS top.
- Framework made up of M.S tubes
- Bed Mounted on 5" Central Locking ABS Castors, Durable and quiet
- S.S. Telescopic I.V. Rod with 4 Location
- Holder for Urine Bag
- Sitting position adjustable
- Finish: Pre-treated & Epoxy Powder Coated
- Overall Approx. Size: 2060L x 900W x 470-810H mm
- C4 Section Mattress (MP-2001C)
- LED Lamp as reading lamp or under Bed lamp

- Positions Obtained by Hand Remote:
 - Hi-Low: Backrest elevation
 - Knee rest elevation
 - Trendelenburg / Reverse Trendelenburg
- Positions obtained/Functions on Nurse Control System (ACP)
 - Hi-Low with Locking function for handset
 - Backrest elevation with Locking function for handset
 - Knee rest elevation with locking function for handset
 - Trendelenburg / Reverse Trendelenburg
 - Trendelenburg / Reverse Trendelenburg with locking function for handset
 - One button Electric CPR Position and manual CPR Function for any Emergency case



Nurse Control



Central Locking Castors.





Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LIFE

Everything Under One Roof!

Certified Company

25

YEARS EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

CHAIR POSITION ICU BED

Descriptions:

- Advance linear actuator system [04Pc Control box, 01Pc Handset, 01 Pc. Nurse Control System (ACP)]
 - Extra-long 4pcs. Under side Occidental style side rails with inclination degree indicators
 - Heavy ABS Head and Foot Panel with locking and membrane system
 - Four section tops
 - Back section X-Ray Translucent
 - Framework made up of M.S tubes
 - Bed Mounted on 6" Central Locking ABS Castors, Durable and quiet
 - S.S. Telescopic I.V. Rod with 4 Location
 - Holder for Urine Bag
 - Sitting position adjustable
 - Leg Section Extendable
 - Finish: Pre-treated & Epoxy Powder Coated
 - Overall Approx. Size: 1970-2120L x 900W X 460-740H MM
 - C4 Section Mattress (MP-2001C)
 - LED Lamp as reading lamp or under Bed lamp
- Positions Obtained by Hand Remote:
 - Hi-Low
 - Backrest elevation
 - Knee rest elevation
 - Trendelenburg / Reverse Trendelenburg
 - Positions obtained by membrane
 - Hi-Low
 - Backrest elevation
 - Knee rest elevation
 - Trendelenburg/Reverse Trendelenburg Electric CPR for zero positioning of bed Fowler position
 - Positions obtained/Functions on Nurse Control System (ACP)
 - Hi-Low with Locking function for handset
 - Backrest elevation with Locking function for handset
 - Knee rest elevation with locking function for handset
 - Trendelenburg / Reverse Trendelenburg with locking function for handset
 - One button Electric CPR Position and manual CPR Function for any Emergency case
 - One Touch Chair Position



Nurse Control



Central Locking





Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LIFE

Everything Under One Roof!

Certified Company

25

YEARS
EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

ICU BED ELECTRIC

Descriptions:

- Frame work made of strong Rectangular CRCA pipe.
- Four section tops made of CRCA Sheet
- Back Rest, Knee Rest, TB, RTB & Hi-Low Position operated with hand remote only.
- Heavy duty ABS Head & Foot Panel.
- Heavy duty ABS Tuck away safety side rails with angle indicator.
- Bed mounted on 125mm Dia double tier Castors (2 with breaks)
- S.S telescopic IV Rod with 4 foldable hooks.
- Provision for Mattress guard & urine bag holder on both sides.
- 4" Thick Medical Grade Mattress of 40 Density.
- Overall Size: 2200L X 1000W X 600-800H mm.
- Finish: Epoxy powder coated.



Descriptions:

- Advance linear actuator system [04Pcs Motor, 01Pc Control box, 01Pc Handset]
- Collapsible side railing
- Heavy ABS Head and Foot Panel with buffer
- 4 section tops made up of oval perforated CRCA M.S. sheet.
- Framework made up of M.S. tubes
- Bed mounted on 5" ABS castors durable and quiet
- S.S. Telescopic I.V. Rod with 4 locations
- Holder for Urine Bag
- Sitting position adjustable
- Finish: Pre-treated & Epoxy Powder Coated
- Overall approx. size: 2090L x 900W x 550-800H mm

- Positions obtained by Hand Remote:
 - Hi-Low
 - Backrest elevation
 - Knee rest elevation
 - Trendelenburg / Reverse Trendelenburg
- **Optional:**
 - C4 Section Mattress
 - S.S. Telescopic I.V. Rod with 4 locations





Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LiFE

Everything Under One Roof!

Certified Company

25

YEARS
EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

FIVE FUNCTIONS MANUAL ICU BED

Descriptions:

- Frame work made of strong Rectangular CRCA pipe.
- Four section tops made of CRCA Sheet
- Back Rest, Knee Rest, TB, RTB & Hi-Low Position operated with S. S Crank Handles.
- ABS Moulded Head & Foot Panel.
- Collapsible safety side railing.
- S.S telescopic IV Rod with 4 foldable hooks.
- Provision for Mattress guard & urine bag holder on both sides.
- Bed mounted on 125mm Dia double tier Castors (2 with breaks)
- 4" Thick Medical Grade Mattress of 40 Density.
- Overall Size: 2200L X 1000W X 600-800H mm.
- Finish: Epoxy powder coated.





Descriptions:

- Four pieces individual side-rails, ABS moulded.
- Heavy ABS Head and Foot Panel with buffer
- 4 section tops made up of oval perforated CRCA M.S. sheet.
- Framework made up of M.S. tubes
- Bed mounted on 5" ABS castors 2 with brakes.
- Holder for Urine Bag
- Sitting position adjustable
- Finish: Pre-treated & Epoxy Powder Coated
- Overall approx. size: 2090L x 900W x 550-750H mm
- Positions obtained by Smooth Crank System with foldable handle:
 - Hi-Low
 - Backrest elevation
 - Knee rest elevation
 - Trendelenburg / Reverse Trendelenburg
- **Optional:**
 - C4 Section Mattress
 - S.S. Telescopic I.V. Rod with 4 locations
 - Stainless Steel / Mild Steel Railing
 - Stainless Steel Head & Foot Bows



S. S. Head & Foot Panel






ICU BED MECHANICAL

Descriptions:

- Two pieces individual detachable side-rails.
- Collapsible side railing
- ABS Head and Foot Panel.
- 4 section tops made up of oval perforated CRCA M.S. sheet.
- Framework made up of M.S. tubes
- Bed mounted on 5" castors 2 with brakes.
- Holder for Urine Bag
- Finish: Pre-treated & Epoxy Powder Coated
- Overall approx. size: 2000L x 900W x 600H mm
- Positions obtained by Smooth Crank System with foldable handle:
 - Backrest elevation
 - Knee rest elevation
 - Trendelenburg / Reverse Trendelenburg
- **Optional:**
 - C4 Section Mattress
 - S.S. Telescopic I.V. Rod with 4 locations.
 - Stainless Steel Head & Foot Bows



S. S. Head & Foot Panel




Descriptions:

- Two pieces individual detachable collapsible side-rails.
- ABS moulded Head and Foot Panel.
- 4 section tops made up of oval perforated CRCA M.S. sheet.
- Framework made up of M.S. tubes
- Bed mounted on 4" castors 2 with brakes.
- Four locations for I.V. Rod.
- Finish: Pre-treated & Epoxy Powder Coated
- Overall approx. size: 2000L x 900W x 600H mm
- Positions obtained by Smooth Crank System with foldable handle:
 - Backrest elevation
 - Knee rest elevation
- **Optional:**
 - 4 Section Mattress
 - S.S. Telescopic I.V. Rod
 - Four pieces individual side rails, ABS moulded.
 - Stainless Steel Head & Foot Panels



S. S. Head & Foot Panel





FOWLER BED ELECTRIC

Descriptions:


- Advance linear actuator system [04Pcs Motor, 01Pc Control box, 01Pc Handset]
- Four pieces individual side-rails, ABS moulded.
- ABS moulded Head and Foot Panel with locking & corner buffer
- 4 section tops made up of oval perforated CRCA M.S. sheet.
- Framework made up of M.S. tubes
- Bed mounted on 4" castors 2 with Coated.
- Finish: Pre-treated & Epoxy Powder Coated
- Overall approx. size: 2000L x 900W x 600H mm
- Positions obtained by Hand Remote:
 - Backrest elevation
 - Knee rest elevation

Optional:

- C4 Section Mattress
- S.S. Telescopic I.V. Rod with 4 locations.
- 2 pieces individual detachable collapsible side rails.



S. S. Head & Foot Panel



Descriptions:


- Mild steel tubular Head & Foot Bows of unequal height with vertical tube support.
- 4 section tops made up of oval perforated CRCA M.S. sheet.
- Framework made up of M.S. tubes
- Bed mounted on 4" castors 2 with brakes.
- Four locations for I.V. Rod.
- Finish: Pre-treated & Epoxy Powder Coated
- Overall approx. size: 2000L x 910W x 600H mm
- Positions obtained by Smooth Crank System with foldable handle:
 - Backrest elevation
 - Knee rest elevation

Optional:

- 4 Section Mattress
- S.S. Telescopic I.V. Rod
- S.S. Collapsible Railing



Also available in wooden color





Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LIFE

Everything Under One Roof!

Certified Company

25

YEARS
EXPERIENCE



GSTIN-27AFPPS3549Q1ZB




Specialist in Hospital Setup

HOSPITAL SEMI FOWLER BED


Descriptions:

- ABS moulded Head & Foot Panel with locking & corner buffer.
- 2 section tops made up of oval perforated CRCA M.S. sheet.
- sheet.
- Framework made up of M.S. tubes
- Legs fitted with PVC stumps.
- Four locations for I.V. Rod.
- Finish: Pre-treated & Epoxy Powder Coated
- Overall approx. size: 2000L x 900W x 600H mm
- Positions obtained by Smooth Crank System with foldable handle:
 - Backrest elevation
- **Optional:**
 - 2 Section Mattress
 - S.S. Telescopic I.V. Rod
 - S.S. Collapsible Railing
 - Advance linear actuator system (01 c Motor, 01 Pc control box, 01 Handset)
 - M.S or S.S. Head & Foot Panels.



Descriptions:

- Mild steel tubular Head & Foot Bows of unequal height with vertical tube support.
- Top made up of oval perforated CRCA M.S. sheet.
- Framework made up of M.S. tubes
- Legs fitted with PVC stumps.
- Four locations for I.V. Rod.
- Finish: Pre-treated & Epoxy Powder Coated
- Overall approx. size: 2000L x 910W x 600H mm
- **Optional:**
 - Plain Mattress
 - S.S. Telescopic I.V. Rod
 - S.S. Collapsible Railing





Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LIFE

Everything Under One Roof!

Certified Company

25

YEARS
EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

ATTENDED BED

Descriptions:

- Overall approx. size: 1800L x 600W x 460H mm
- Framework made up of Rectangular / Square M.S. tubes
- Also available in 5cm from upholstery top.
- Legs fitted with PVC stumps.
- Finish: Pre-treated & Epoxy Powder Coated
- **Optional:**
 - Plain Mattress
 - 5 cm foam padded fixed mattress covered with rexine.



PATIENT'S OPD COUCH/CHAIR

Blood Transfusion Chair

Descriptions:

- Dimension: 890 x 600 x 300 mm
- Net Wt. 26 kg
- Made of MS Powder Coated with Back Adjustable

Attendant Chair Cum Bed

Descriptions:

- Overall approx. size: 1880mmL x 500mmW x 400mH.
- M.S. tubular frame work mounted on PVC Stumps
- Epoxy Powder Coated.





Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LIFE

Everything Under One Roof!

Certified Company

25

YEARS
EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

PEDIATRIC BED

Descriptions:


- Tubular Head and Foot Bows of unequal height with vertical tube support
 - Frame work made up of M.S. tubes
 - Top made up of oval perforated CRCA M.S. sheet
 - Legs fitted with PVC stumps - Four location for I.V. Rod
 - Full length drops side rails on both sides
 - Finish: Pre-treated & Epoxy Powder Coated
 - Overall approx. size: 1460L x 830W x 600H mm
 - Bed frame approx. size: 1370L x 760W mm
 - Also available in electric
- **Optional:**
 - Plain Mattress
 - S.S. Telescopic I.V. Rod
 - Full length S.S. Side Rails



MOTORIZED BACKREST/ RECLINER BED

Descriptions:

- Headrest adjustable up to 75°
- Can be used on the existing bed without any modification just plug & play
- Size with mattress 1820 x 900 x 200 mm
- Recliner Frame can be attached over normal home bed.



MATTRESS FOR HOSPITAL BEDS



Mattress for Plain Beds



Two Section Mattress for Semi-Fowler Beds



Four Section Mattress for Fowler / I.C.U. Beds





Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LiFE

Everything Under One Roof!

Certified Company

25

YEARS
EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

WARD EQUIPMENTS

Patient's Medicine Cupboard (DLX)

Description

- Overall size: 400L x 400W x 810H mm
- CRCA sheet constructions having one box and one drawer
- Jointless S.S. top with three sides raise edges
- Finish: Pre-treated and Epoxy Powder Coated

Optional

- Also available in Complete S.S.



Patient's Medicine Cupboard (STD)

Description

- Overall size: 400L x 400W x 810H mm
- Jointless S.S. top with three sides raise edges
- One box with door made of M.S. sheet
- Four MS legs fitted with PVC stumps
- Finish: Pre-treated and Epoxy Powder Coated

Optional

- Also available in Complete S.S.

Patient's Medicine Cupboard (ABS)

Description

- Overall size: 450L x 450W x 760H mm
- One drawer
- One towel rail
- Four 50mm Castors





WARD EQUIPMENTS

Over Bed Table (Adjustable by Pneumatic Gas Spring)

Description

- Rectangular frame work mounted on 5cms castors
- 30"x 18"laminated /Membrane Pressed top adjustable by Pneumatic gas spring.
- Finish: Pre-treated and Epoxy Powder Coated.



Over Bed Table Mayo's Type (Adjustable Hight with Gear Handle)

Description

- M.S. Rectangular frame work mounted on 5 CMS castors.
- 30" x 16" Laminated top adjustable by gear handle.
- Epoxy Powder Coated



Over Bed Table Mayo's Type S.S. (Adjustable by Pneumatic Gas Spring)

Description

- S. S. Rectangular frame work mounted on 5cms castors.
- 30" x 16" Laminated top adjustable by gear handle.



Over Bed Table (Manual)

Description

- Rectangular frame work mounted on 5cms castors 30" x 16" laminated top adjustable by side knob.
- Epoxy Powder Coated



Also available in All Stainless Steel

O.T. Mayo's Instruments Trolley with S.S. Tray

Description

- Tray S.S. size: 56 L x 40 W CMS
- Rectangular CRC tubes mounted on 5 CMS castors
- Height adjustable by side knob
- S.S. frame with S.S. top



O.T. Mayo's Instruments Trolley Over the O.T. Table (Mechanically)

Description

- Approx tray S.S. Size: 91 L x 50W CMS
- Frame work of S.S. tubes mounted on 10 CMS castors
- Height adjustable by gear handle
- S.S. frame with S.S. top





Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LiFE

Everything Under One Roof!

Certified Company

25

YEARS
EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

WARD EQUIPMENTS

Wash Basin Stand (Double)

Description

- Five Legs base mounted on 5 CMS Dia castors
- With two S.S. basin approx. 35 CMS
- Vertical S.S. tube made of 25mm x 18G
- Basin holder S.S. tube made of 16mm x 18G
- Finish: Stainless Steel frame with Stainless Steel Basin

Optional

- Also available in Epoxy Powder Coated frame



Wash Basin Stand (Single)

Description

- Five Legs base mounted on 5 CMS Dia castors
- With two S.S. basin approx. 35 CMS
- Vertical S.S. tube made of 25mm x 18G
- Basin holder S.S. tube made of 16mm x 18G
- Finish: Stainless Steel frame with Stainless Steel Basin

Optional


- Also available in Epoxy Powder Coated frame



I.V. Stand

Description

- Five-Pronged base fitted with 5 CMS Castors
- S. S. adjustable
- I.V. Rod with double / four hook
 - A. S.S. Pipe with plastic base
 - B. M.S. Pipe with plastic base
 - C. S.S. Pipe with S.S. base
 - D. M.S. Pipe with M.S. base





Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LiFE

Everything Under One Roof!

Certified Company

25 YEARS EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

WARD EQUIPMENTS

Bed Side Screen (4 Panels)

Description

- Overall size: 1680H x 2450L mm
- M.S. tubular frame work made up of 19mm x 18G in four sections.
- Legs made of 25mm x 18G mounted on 5 CMS castors with hooks and spring along-with curtains
- Each span is 610 mm wide
- Finish: Pre-treated and Epoxy Powder Coated



Bed Side Screen (3 Panels)

Description

- Overall size: 1680H x 2450L mm
- M.S. tubular frame work made up of 19mm x 18G in four sections.
- Legs made of 25mm x 18G mounted on 5 CMS castors with hooks and spring along-with curtains
- Each span is 610 mm wide
- Finish: Pre-treated and Epoxy Powder Coated



Kick Bowl / Bucket

Description

- Approx. S.S. Bowl of 350 mm Dia/SS Bucket Frame work made up of M.S. tubes
- Mounted on 50 mm castors
- Finish: Stainless Steel

Also available in M.S. frame work and S.S. Basin/Bucket





Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LiFE

Certified Company

Everything Under One Roof!

25 YEARS EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

PATIENT TRANSFER TROLLEYS

Emergency & Recovery Trolley (Hydraulic)

Description

- Two section top height adjusted by foot operated imported hydraulic pump from 660 mm to 910 mm
- Gas spring assisted Trendelenburg/Reverse Trendelenburg positions
- Complete with corner buffers, synthetic rubber covered handles, sliding X-ray cassette, accessories tray, oxygen cylinder holder
- S.S. Telescopic IV rod and swing away S.S. side rails
- Finish: Pre-treated and Epoxy Powder Coated
- Four swivel castors, 5" Dia, two with total lock
- Xray translucent removable stretcher, backrest raised on ratchet
- Overall approx. size: 210L x 65W x 65-95H CMS

Also available in complete S.S.



Stretcher on Trolley

Description

- Frame work made of 1.25" x 16G vertical and 1" x 18G horizontal CRC tubes
- Trolley mounted on 15 CMS. Dia castors, 2 with brakes
- Removable stretchers top made of M.S. Sheet with S.S. handle
- Overall size: 213L x 56W x 81H CMS
- Finish: Pre-treated and Epoxy Powder Coated

Optional

- Mattress
- Side railings M.S./S.S.

Also available in complete stainless steel



Stretcher Trolley with Mattress

Description

- Overall approx. size: 180L x 56W x 81H CMS
- Frame work made of tubular M.S. pipe with S.S. handle
- Swing away type safety side railing
- Adjustable I.V. Rod, Utility tray, Cylinder cage foam padded top
- Trolley mounted on 15 CMS Dia castors- 2 with brakes
- Finish: Pre-treated & Epoxy Powder Coated

Also available in complete Stainless Steel





Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LiFE

Everything Under One Roof!

Certified Company

25

YEARS
EXPERIENCE



GSTIN-27AFPPS3549Q1ZB

Specialist in Hospital Setup

PATIENT TRANSFER TROLLEYS

Emergency & Recovery Trolley (Hydraulic)

Description

- Indian Recovery Trolley Highly customizable for best patient care
- Excellent manoeuvrability to reduce the risks related with patient handling
- Easy to operate and maintain, also prevent injury to patient
- Easy to access and allow unlimited control of all the function

FACILITIES


- X-ray cassette can be slide under the translucent X-ray s platform
- Recovery trolley frame allows the undercarriage and wide range of height adjustment make the handling with C arm easier The Recovery Trolley allows treatment of patient easily and quickly
- The diagnostics is facilitated by possibility of X-ray examination and C-arm Systems directly on the stretcher reducing time for diagnostics



EASY TO MOVE

- Recovery Trolley is easy Manoeuvre & 360° Rotation on 5th wheel (Optional). Adjustment of height is operated by foot controls through hydraulic pumps. Trendelenburg & reverse position by gas spring.

Standard Accessories



Emergency & Recovery Trolley (Electric)

Description

- Frame work made of Rectangular M.S. Tube.
- 4 Section Top made of Perforated M.S. Sheet.
- Back Rest, Knee Rest, TB, RTB & Hi-Low Position operated with cable remote control
- S.S 304 solid tubular handles on head-foot side for easy movement
- S.S Collapsible side rails
- Nursing Control panel which operates all functions with CPR & lock positions of bed.
- Mounted on 125mm Dia Castors (2 with breaks)
- S.S IV Rod of 4 foldable hooks with four locations
- Overall Size: 2000L X 700W X 600-800H mm.
- PU made base cover to protect from dust.
- Finish: Epoxy powder coated.





Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LIFE

Everything Under One Roof!

Certified Company

25

YEARS
EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

PATIENT TRANSFER TROLLEYS



Folding Stretcher

Description

- Aluminium folding lengthwise as well as width wise Fold, provided with bag
- Unfolded size: 221L x 53W x 15H CMS
- Folded size: 110L x 18W x 11H CMS
- Load bearing capacity 159 Kgs
- Gross wt. 6 Kg, Net wt. 5 Kg



Head Immobilizer



Stair Stretcher




Air Splint

Spine Board

Description

- Product Size: 184L x 45W x 5H cm
- Load Bearing: < 159 kg
- Net Weight: 9
- Gross weight: 12 kg
- Dimension of the packing box :187L x 48W x 8H cm



Scoop Stretcher

Description

- Product size (LxWxH): 164x 43x8cm(min.) 201x43x8cm (Max)
- Net weight :9kg
- The bearing pressure: < 159kg
- Dimension of the packing box :123x45x11cm MP - 545
- Gross weight :11k

Ambulance Stretcher

Description

- Utilizes high precision mechanical transmission
- Can be used automatically folded through the left- & right-hand control handle
- Made of high-quality aluminium alloy tubes
- Dimensions:
 - A - High Position: 1900 x 560 x 900mm
 - B - Low Position: 1900 x 560 x 280mm
- Load weight up to 120 Kg
- Product weight: 40 Kg
- Diameter of the castors: 125 mm
- Applicable for various kind of hospitals, emergency centres, ambulances &
- battle fields





Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LIFE

Everything Under One Roof!

Certified Company

25

YEARS
EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

EMERGENCY TROLLEYS

Laparoscopic / Monitor Trolley

Description

- Overall approx. size: 820 mm L x 620 mm D x 1680 H
- Four shelves and one drawer
- Trolley having two handles
- The trolley mounted on 125 mm Dia castors, 2 with brakes
- Switch & Socket for medical equipment
- Supplied with S.S. IV Rod and M.S. Oxygen Gas Cylinder Cage
- Finish: Pre-treated and Epoxy Powder Coated

Also available in Complete S.S.



Crash Cart

Description

- Overall approx. size: 960 L x 500 W x 1545H mm
- Frame work made up of S.S. tubes
- Two light weight polystyrene boxes each with three drawers
- Upper drawer with medicine container of different sizes
- Provision to hold oxygen cylinder made up of M.S.
- Massage board for cardiac patient are provided
- Six number colour hand out small bins at eye level
- Total three S.S. shelves with railings to carry medical equipment's
- Provided with S.S. I.V. Rod, corner buffers
- The cart mounted on 125 mm Dia castors 2 with brakes

Also available in Epoxy Powder Coated Framework & S.S. To



Emergency Medicine Trolley

Description

- Overall approx. size: 750 x 500 W x 810H mm
- Mild steel frame work with five draws for medicine
- Upper drawer with medicine container of different sizes
- Provision to hold oxygen cylinder made up of M.S.
- S.S. shelves with railings to carry medical equipment's
- Provided with S.S. I.V. Rod, corner buffers
- The cart mounted on 125 mm Dia castors 2 with brakes

Also available in Complete S.S





Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LIFE

Certified Company

Everything Under One Roof!

25

YEARS
EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

WARD EQUIPMENTS

Medicine Trolley with 4 Drawers

Description

- Overall approx. size: 76L x 46W x 81H CMS
- Frame work made up of M.S. tubes mounted on 10 CMS castors
- Two S.S. shelves with three side railing on top shelf
- Two drawers under each shelf
- Finish: Epoxy Powder Coated



Utility Trolley Two Shelves

Description

- M.S. Frame work
- S.S. Shelves
- One M.S. Drawer
- 10 CMS Castors



Also available in three shelves

Dressing Trolley

Description

- Approx. size: 30"x18"x32"
- Frame work made up of S.S. tubes
- Two S.S. shelves up with S.S. railings on all four sides
- The trolley fitted S.S. bucket and S.S. bowl
- The trolley mounted on 100 mm Dia castors
- S.S. frame, S.S. shelves with S.S. basin & bucket



Also available in Epoxy Powder Coated Frame & S.S Top

Instrument Trolley Two Shelves

Description

- Frame work made up of 1"x 18G vertical M.S. tubes
- Two 22G S.S. shelves with three sides railing
- The trolley mounted on 100 mm Dia castors
- Finish: S.S. frame with S.S. shelves.



- 30"x18"x32"
- 36"x24"x32"
- 24"x18"x32"





Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LIFE

Everything Under One Roof!

Certified Company

25 YEARS EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

WARD EQUIPMENTS

Solid Linen Trolley with Canvas Bag

Description

- Frame work made up of CRC tube mounted on 10 CMS castors
- Superior quality canvas bag
- Finish: Pre-treated and Epoxy Powder Coated

Also available in Complete S.S



Solid Linen Trolley with Canvas Bag

Description

- Push handle at one end
- Frame work made up of CRC tube on 10 CMS castors
- Superior quality plastic bucket
- Pre-treated & Epoxy Powder Coated
- Also available in S.S. frame
- Complete in S.S. frame

Also available in Complete S.S.



Foot Step Single Step

Description

- Overall approx. size: 505L x 305W x 230H mm
- Step made up of CRCA Sheet fitted with Aluminium Tread flats by pop rivets
- Frame made up of 1" x 18G CRCA tube fitted with PVC stumps
- Finish: Pre-treated and Epoxy Powder Coated



Foot Step Double Step

Description

- Overall approx. step size: 505 mm L x 305 mm W
- First step height 230 mm and second step size 450 mm
- Step made up of CRCA sheet fitted with Aluminium Tread flats by pop rivets
- Frame made up of 1"x18G CRCA tubes fitted with PVC stumps
- Finish: Pre-treated and Epoxy Powder Coated



Also available in Complete S.S





Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LiFE

Everything Under One Roof!

Certified Company

25

YEARS
EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

BIO-MEDICAL WASTE DUSTBINS

Waste Dustbins

Description

- Size: 60/30/20/10 Liters
- Material: PP/ CP Injection Moulded
- Available in colour coding options of Red, Blue, Black, Yellow & Green



Waste Bin (Paddle Type)

Description

- Size: 5 Liters
- Size: 7.5 Liters
- Size: 12 Liters
- Size: 20 Liters
- Size: 35 Liters



Dustbin Pedestal S.S. With Plastic Bucket

Waste Bin (Push Can)

Description

- Size: 20x40cm
- Size: 26x47cm
- Size: 31x57cm



Dustbin Push Type S.S.

BIO-MEDICAL WASTE SEGREGATION TROLLEY

Description

- Size/Capacity: 5ltr — 60ltr
- Waste segregation Trolley with one, Two, Three & Four Compartment
- Trolley available in M.S. and S.S.
- Foot operated system for touch less opening off lid
- Bins can be interchanged as and when required
- Colour available: Red, Blue, Yellow, Black & Green






WARD EQUIPMENTS

Trolley For Oxygen Cylinder

Description

- Frame work made up of CRC tube mounted on 10
- CMS / 15CMS castors
- Finish: Epoxy Powder Coated
 - (A) For D type cylinder
 - (B) For B type cylinder



Patient Revolving Stool S.S. Top

Description

- Four leg bases fitted with PVC stumps
- Height adjustment by machine screw from 18" x 27"
- Rest ring support made up of M.S. tube
- S.S. top supported with M.S. sheet top
- Finish: Pre-treated and Epoxy Powder Coated

Also available in S.S. Frame work



Patient's Stool

Description

- Approx. size: 12"x 12"x 20"H
- Top made up of CRCA sheet double bent
- Legs made up of 25 mm x 18 G and horizontal support of 19 mm x 18 G CRCA tube fitted with PVC stumps
- Finish: Pre-treated and Epoxy Powder Coated



Surgeon Chair

Description

- Cushioned seat and back
- Pneumatic height adjustable
- Height adjustable and swinging back rest
- Legs chrome plated base with foot ring
- Base fitted with 50 mm Dia castors





Baby Cradles

Description

- Overall approx. size: 36" x 15" x 39"
- Stand frame work made up of
- 25 mm x 1.22 mm M.S. tubular pipe
- Legs fitted with PVC stumps
- Wire mesh hanging cradle made up
- of 19 mm x 1.22 mm
- CRC tube and wire mesh on 5 mm thick
- Finish: Pre-treated and Epoxy Powder Coated



Baby Cradles

Description

- Dimension 340 x 230 mm
- A BS Plastic Material
- Colour Available: Blue, Grey & Pink



Baby Bassinet

Description

- Dimension: 870x520x780-980mm
- Hi-Low 780-980mm
- Head upward angle: 0-12 degree
- Height Adjustable by Gas Spring
- Easy for move & baby to communicate
- Aluminium Column
- Transparent and Hi-Intensity baby basin PP cart Basis
- Four Silent Wheels with cross brakes, Dia 100 mm
- Colour Available: Green, Blue & Pink



Case History Trolley (Single & Double)

Description


- ABS Plastic Material, Double rows (60 Layers) Single rows (50 Layers)
- Noiseless Castors
- Available with 2 drawers in double & single with single drawer
- Double dimension 750 x 465 x 810 mm, Weight 15 Kg
- Single dimension 460 x 430 x 810 mm, Weight 9 Kg



Instruments Cabinet

Description

- Made from CRC sheet three side closed
- Front glass door and glass shelves
- Pre-treated and Epoxy Powder Coated
- Approx size: 63" x 24" x 78"



Also available in five shelves

Double Door





Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LIFE

Everything Under One Roof!

Certified Company

25

YEARS
EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

DELIVERY TABLES

Labour Delivery Room Bed Hydraulic

Description

- Overall Size: 1880L x 660W x 600 - 800H mm
- Tubular frame work mounted on 125 mm Dia central locking castors
- Three section tops made up of Bakelite Sheet with 3 section mattresses
- Trendelenburg / Reverse Trendelenburg positions adjustment through gas spring
- Height adjustment through hydraulic pump
- Back section adjustment through crank mechanism
- Leg end section can slide under the main section
- Provided with a pair of Upholstery Lithotomy positions
- S.S. Telescopic IV Rod
- Detachable S.S. Tray



Labour Delivery Room Bed Electric

Description

- Overall size: 1880L x 660W x 600-800H m
- Tubular frame work mounted on 125 mm Dia central locking castors
- Three section tops made up of Bakelite Sheet covered with 3 section mattresses
- Trendelenburg / Reverse Trendelenburg positions, height adjustment, Back section adjustment through electric actuator system
- Leg end section can slide under the main section
- Provided with a pair of Upholstery Lithotomy positions
- S.S. Telescopic IV Rod
- Detachable S.S. Tray



Patient Shifter

Description

- Maintenance free
- Easy to use
- Easy to carry
- Foldable DELIVERY TABLES
- Unbreakable
- Size: L 72" x w 20"





Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LIFE

Everything Under One Roof!

Certified Company

25

YEARS
EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

DELIVERY TABLES

Obstetric Labour Table Telescopic Adjustable Height

Description

- Approx. dimensions: 72"L x 27"W x 24" - 32"H
- Tubular frame work mounted on swivelling castors
- Bakelite sheet top in three sections with 3 sections mattress
- Trendelenburg / Reverse Trendelenburg positions,
- adjustable by gas spring from back end
- Hydraulically height adjustable by foot paddle from side
- Backrest section adjustable crank mechanism from back end
- Leg end section can slide under the main section
- Height adjustable by a pair of knee crutches
- Pre-treated & Epoxy Powder Coated



Also available in S.S. Frame & S.S Top

Labour Table Description

- Overall approx. size: 72" x 27" x 30"
- Frame work made up of S.S. tube
- Legs fitted with PVC stumps
- 3 section tops made up of Bakelite Sheet
- Back rest section adjustable ratchet mechanism from back end
- Leg end section can slide under the main section
- The entire table top gives Trendelenburg positions by gas spring from back end
- Drop down S.S. safety side railing are provided on 3 sides of the table
- Height adjustable a pair of foam padded knee crutches
- Patient hand grips made up of S.S. tubes
- Supplied with waste collecting S.S. Bowl on S.S. Bracket and one S.S. I.V. Rod

Also available in M.S. Frame

Gynaecological Couch

Description

- Made in 3 sections with independent controls and Trendelenburg position
- Adjustable back rest and leg section with mechanism to varying positions capable of tilting for obstetric and gynaecological use
- Size of assembled table: approx. 1800L x 550W x 800H mm
- Framework made up of chrome plated rectangular steel tube with upholstered top
- Supplied completely with S.S. bowl and two standard padded leg holder's Knockdown construction





Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LIFE

Everything Under One Roof!

Certified Company

25 YEARS EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

BLOOD TRANSFUSION CHAIR

Description Specification

- **Dimensions**
 - Length: 1800mm
 - Width: 600mm
 - Height: 540mm-830mm
 - Back cushion: 390*220*100mm
 - Caster: 125mm, PU Caster
- **Material**
 - Chair: Mild Steel
 - Outside: PVC leather
- **Adjustment**
 - Back adjustment: -129C-809C
 - Knee Adjustment
 - Chair Position



Description

- Castor wheels with locks for effortless manual shifting and parking at convenient locations
- High density cushion seating for firm supporting of patient.
- Foldable Handrest for easy patient entry and exit.
- Optional provisions for I-V Rod, Foot rest cushion etc.
- 200 Kg Patient weight capacity.

Specification

- **Dimensions**
 - Length: 1800mm
 - Width: 600mm
 - Height: 540mm-830mm
 - Back cushion: 390*220*100mm
 - Caster: 125mm, PU Caster
- **Adjustment**
 - Back adjustment: -129C-809C
 - Knee Adjustment
 - Chair Position
 - Trendelenburg /Reverse Trendelenburg

DIALYSIS CHAIR





EXAMINATION COUCH

Description

- Back section adjustable to 75 degrees
- Powder coated steel frame, firm and anti-rust
- With a shelf to assemble non-woven, easy to clean and more antiinfection
- High quantity leather, it is waterproof
- Size: 190 X 80 X 45cm
- Other size and material offered



Description

- Overall approx. dimension: 1800 X 500 X 810 mm
- Construction made from mild steel CRCA tubes and sheets
- Two sections mild steel CRCA sheet top
- Headrest adjustable on gas spring
- Three drawers
- Three cabinets with lock
- Complete with B.P. apparatus tray, foam mattress covered with rexine and built in step stool pre-treated and powder coated finish



Description

- Overall approx. dimension: 1800 X 500 X 810 mm
- Construction made from mild steel CRCA tubes and sheets
- Two sections mild steel CRCA sheet top
- Headrest adjustable on gas spring
- Three drawers
- Three cabinets with lock
- Complete with B.P. apparatus tray, foam mattress covered with rexine and built in step stool pre-treated and powder coated finish





Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LiFE

Everything Under One Roof!

Certified Company

25

YEARS
EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup


WARD EQUIPMENTS

Waiting Area Chair

Description

- Perforated sheet
- Galvanized arm rest
- Chrome plated finish

Also available in full Stainless Steel



Wheelchair Fix / Folding

Description

- Folding wheelchair: 600 X 790 X 870 mm
- Folding wheelchair with cushion: 600 X 790 X 870 mm
- Sturdy structures
- High loadbearing
- Durable wheels
- Brake handles provided
- Available in Chrome and powder coated



Patient Transfer Trolley Imported Type

Description

- Frame is made of CRCA Sheet & pipes
- Trolley is mounted over 125 mm diagonally locking castor wheels
- Provision for saline stand
- Provide with swing down polymer moulded safety side rails
- Backrest can be adjusted via gas spring up to 65"
- High-Low can be adjusted via crank mechanism
- Dimension (overall): 2025 x 760 x 560 - 825 H mm

Also available in ABS Top

