



**Wholesale Supplier**

**OPERATION TABLE DELUXE**

**A to Z Hospital Equipment and Surgical  
Products **B to C****



9762 058 786



9762 058 786



[info@savelifeindia.com](mailto:info@savelifeindia.com)



Sr. No. 29/1/2, Adarsh Nagar,  
Uruli Devachi, Hadapsar, Pune  
Network: PAN India



[www.savelifeindia.com](http://www.savelifeindia.com)



## ELECTRIC OT TABLE



**STEEL QUALITY 304 MEDICAL GRADE STAINLESS STEEL**

### SLI MATRIX

#### Special Features:

- We are providing SMPS based control box which can handle better Voltage Fluctuations, When SMPS is idle there is zero current consumption and saves power. These are as per new European and American standards where the idle power consumption should be zero and where transformer-based system is outdated.
- We provide remote which is ergonomically designed to have an easy and better grip with spiral cable and it has LED backlit switch with symbolic position figures making it convenient to use even in the dark.
- We provide zero position facility i.e by pressing the single button OT Table will come to normal position.
- We provide patient reverse orientation mode when head and leg section are interchanged.
- We provide 2 memory function in control panel.
- We provide indication of battery back in the second handset.
- The Handset is designed with Back LED Indicator for better visibility.
- Head and foot section is manually operated by the means of Ratchet System.
- We provide Stainless steel Covered Base and Column Covers for easy cleaning and hygiene. We provide Anti-Bacterial and Anti-Fungal Mattress.
- The motion of table is easy with double swivel castors 100mm diameter, in which 2 castors having brakes.

#### Technical Data

Length of Table	1900 mm
Width of Table Top	520 mm
Minimum Height (without Mattress)	Min. 750 mm
Maximum Height (without Mattress)	Max. 1000 mm
Trendelenburg	25°
Reverse Trendelenburg	25°
Lateral Tilt	+20°
Back Section	+70°
Head Section	+60°
Leg Section	0°-90°
Floor Locking System	Center Floor Locking

#### Salient Features:

- Sliding Top • Split Leg Section • Centre Pillar • Stainless Fitting - Detachable, head, leg & Pelvic section • In built kidney bridge • Five Sectional Radio - Translucent Top.
- Base & Cover made of attractive, easy to clean Stainless Steel.
- Sophisticated mechanics provide smooth, step less articulation of the table Top for precise patient positioning.
- Standby Battery Back-up with recharging circuit.





## ELECTRIC OT TABLE

**STEEL QUALITY 304 MEDICAL GRADE STAINLESS STEE**



### SLI MATRIX ADVANCE Special Features:

- We are providing SMPS based control box which can handle better Voltage Fluctuations, When SMPS is idle there is zero current consumption and saves power. These are as per new European and American standards where the idle power consumption should be zero and where transformer-based system is outdated.
- We provide remote which is ergonomically designed to have an easy and better grip with spiral cable and it has LED backlit switch with symbolic position figures making it convenient to use even in the dark.
- We provide zero position facility i.e. by pressing the single button OT Table will come to normal position.
- We provide patient reverse orientation mode when head and leg section are interchanged.
- We provide 2 memory function in control panel.
- We provide indication of battery back in the second handset.
- The Handset is designed with Back LED Indicator for better visibility.
- Head and foot section is manually operated by the means of Ratchet System.
- We provide Stainless steel Covered Base and Column Covers for easy cleaning and hygiene. We provide Anti-Bacterial and Anti-Fungal Mattress.
- The motion of table is easy with double swivel castors 100mm diameter, in which 2 castors having brakes.

### Technical Data

<b>Length of Table</b>	1900 mm
<b>Width of Table Top</b>	520 mm
<b>Minimum Height (without Mattress)</b>	Min. 750 mm
<b>Maximum Height (without Mattress)</b>	Max. 1000 mm
<b>Trendelenburg</b>	25°
<b>Reverse Trendelenburg</b>	25°
<b>Lateral Tilt</b>	+20°
<b>Back Section</b>	+70°
<b>Head Section</b>	+60°
<b>Leg Section</b>	0°-90°
<b>Floor Locking System</b>	Center Floor Locking

### Salient Features:

- Sliding Top • Split Leg Section • Centre Pillar • Stainless Fitting - Detachable, head, leg & Pelvic section • In built kidney bridge • Five Sectional Radio - Translucent Top.
- Base & Cover made of attractive, easy to clean Stainless Steel.
- Sophisticated mechanics provide smooth, step less articulation of the table Top for precise patient positioning.
- Standby Battery Back-up with recharging circuit.





Manufacturer / Suppliers / Authorized Dealers & Importers

# SAVE-LIFE

## Everything Under One Roof!

Certified Company

# 25

YEARS  
EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



### Specialist in Hospital Setup

## WORKING POSITION



Height Adjustment – Down



Height Adjustment – Up



Lateral Tilt – Left



Lateral Tilt – Right



Trendelenburg



Reverse Trendelenburg



Flex Position



Gynec Position





Manufacturer / Suppliers / Authorized Dealers & Importers

# SAVE-LIFE

Everything Under One Roof!

Certified Company

# 25

YEARS  
EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

## C-ARM COMPATIBLE ELECTRIC OT TABLE



STEEL QUALITY 304 MEDICAL  
GRADE STAINLESS STEE

### SLI TMI-1201

#### Special Features:

- Eccentric Pillars
- Stainless Fitting
- Detachable, head, leg & Pelvic section
- In built kidney bridge
- Five Sectional Radio - Translucent Top.
- Base & Cover made of attractive, easy to clean Stainless Steel.
- Sophisticated mechanics provide smooth, step less articulation of the table Top for precise patient positioning.
- Standby Battery Back-up with recharging ci

#### TABLE POSITIONS:

- Height Adjustment - Up & Down
- Lateral Tilt - Left & Right
- Trendelenburg & Reverse Trendelenburg
- Flex Position & Reflex Position

#### Technical Data

Length of Table	1900 mm
Width of Table Top	520 mm
Minimum Height (without Mattress)	Min. 750 mm
Maximum Height (without Mattress)	Max. 1000 mm
Trendelenburg	25°
Reverse Trendelenburg	25°
Lateral Tilt	+20°
Back Section	+70°
Head Section	+60°
Leg Section	0°-90°
Floor Locking System	Manual

#### OPTIONAL



Low Height



Floor Locking by Remote



Manual Override





Manufacturer / Suppliers / Authorized Dealers & Importers

# SAVE-LIFE

Everything Under One Roof!

Certified Company

# 25

YEARS EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

## C-ARM COMPATIBLE ELECTRIC OT TABLE



**STEEL QUALITY 304 MEDICAL GRADE STAINLESS STEE**

**SLI TMI-1201**

**Special Features:**

- We are providing first SMPS based control Box.
- Can handle better Voltage Fluctuations.
- When idle has zero current consumption and saves power, these are as per new European and American Standards where the idle power consumption should be zero and where Transformer based systems are outdated
- We are providing a Handset and Additional control panel
- Indication of Battery Back provided in the second handset.
- The Control panel has 2 memory functions.
- The second handset has also safety key to lock the complete handset
- The Handset is designed with Back LED Indicator for better visibility.
- This is the only handset with Backlight features.

**TABLE POSITIONS:**

- Height Adjustment - Up & Down
- Lateral Tilt - Left & Right
- Trendelenburg & Reverse Trendelenburg
- Flex Position & Reflex Position



**ADDITIONAL CONTROL PANE**



**MEMORY FUNCTION**



**ZERO POSITION**

### Technical Data

<b>Length of Table</b>	1900 mm
<b>Width of Table Top</b>	520 mm
<b>Minimum Height (without Mattress)</b>	Min. 750 mm
<b>Maximum Height (without Mattress)</b>	Max. 1000 mm
<b>Trendelenburg</b>	25°
<b>Reverse Trendelenburg</b>	25°
<b>Lateral Tilt</b>	+20°
<b>Back Section</b>	+70°
<b>Head Section</b>	+60°
<b>Leg Section</b>	0°-90°

**Salient Features:**

- Eccentric Pillars • Stainless Fitting • Detachable, head, leg & Pelvic section • In built kidney bridge • Five Sectional Radio - Translucent Top. • Base & Cover made of attractive, easy to clean Stainless Steel.
- Sophisticated mechanics provide smooth, step less articulation of the table Top for precise patient positioning.
- Standby Battery Back-up with recharging circuit

**OPTIONAL**



Low Height



Floor Locking by Remote



Manual





Manufacturer / Suppliers / Authorized Dealers & Importers

# SAVE-LiFE

Everything Under One Roof!

Certified Company

# 25

YEARS  
EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

## C-ARM COMPATIBLE HYDRAULIC OT TABLE



STEEL QUALITY 304 MEDICAL GRADE STAINLESS STEE

### SLI TMI-1202

#### Special Features:

- Eccentric Pillars
- Stainless Fitting
- Detachable, head, leg & Pelvic section in built kidney bridge
- Five Sectional Radio - Translucent Top.
- Base & Cover made of attractive, easy to clean Stainless Steel.
- Sophisticated mechanics provide smooth, step less articulation of the table Top for precise patient positioning.

#### Technical Data

Length of Table	1900 mm
Width of Table Top	520 mm
Minimum Height (without Mattress)	Min. 750 mm
Maximum Height (without Mattress)	Max. 1000 mm
Trendelenburg	25°
Reverse Trendelenburg	25°
Lateral Tilt	+20°
Back Section	+70°
Head Section	+60°
Leg Section	0°-90°
Floor Locking System	Manual





Manufacturer / Suppliers / Authorized Dealers & Importers

# SAVE-LiFE

Everything Under One Roof!

Certified Company

**25**  
YEARS  
EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

## C-ARM COMPATIBLE SEMI-ELECTRIC OT TABLE



**OPTIONAL: BATTERY BACKUP**   
**STEEL QUALITY 304 MEDICAL GRADE STAINLESS STEEL**

### SLI TMI-1202 EL

#### Special Features:

- Electric up & down by cable remote
- Eccentric Pillars
- Stainless Fitting
- Detachable, head, leg & Pelvic section In built kidney bridge
- Five Sectional Radio - Translucent Top.
- Base & Cover made of attractive, easy to clean Stainless Steel.
- Sophisticated mechanics provide smooth, step less articulation of the table Top for precise patient positioning.

#### Technical Data

<b>Length of Table</b>	1900 mm
<b>Width of Table Top</b>	520 mm
<b>Minimum Height (without Mattress)</b>	Min. 750 mm
<b>Maximum Height (without Mattress)</b>	Max. 1000 mm
<b>Trendelenburg</b>	25°
<b>Reverse Trendelenburg</b>	25°
<b>Lateral Tilt</b>	+20°
<b>Back Section</b>	+70°
<b>Head Section</b>	+60°
<b>Leg Section</b>	0°-90°
<b>Floor Locking System</b>	Manual





Manufacturer / Suppliers / Authorized Dealers & Importers

# SAVE-LIFE

Everything Under One Roof!

Certified Company

# 25

YEARS  
EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

## GENERAL SURGERY OT TABLE HYDRAULIC

SLI TMI-1203



HYDRAULIC UP & DOWN

## GENERAL SURGERY OT TABLE SEMI-ELECTRIC

SLI TMI-1203 EL



ELECTRIC UP & DOWN

OPTIONAL: BATTERY BACKUP 





Manufacturer / Suppliers / Authorized Dealers & Importers

# SAVE-LiFE

Everything Under One Roof!

Certified Company

# 25

YEARS  
EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

## POSITION OF DILEVERY OT TABLE



Chair Position

SLI - G & O - 101



Examination & Birthing Position

### Special Features:

- Centre Pillar
- Stainless Fitting
- Detachable, head, leg & Pelvic section
- In built kidney bridge
- Five Sectional Radio - Translucent.
- Base & Cover made of attractive, east to clean Stainless Steel.
- Sophisticated mechanics provide smooth, step less articulation of the table Top for precise patient positioning.

### Technical Data

Length of Table	1900 mm
Width of Table Top	520 mm
Minimum Height (without Mattress)	Min. 750 mm
Maximum Height (without Mattress)	Max. 1000 mm
Trendelenburg	25°
Reverse Trendelenburg	25°
Lateral Tilt	+20°
Back Section	+70°
Head Section	+60°
Leg Section	0°-90°
Floor Locking System	Manual





## SLIDING TOP ELECTRIC OT TABLE



**SLIDING TOP**  
**STEEL QUALITY 304 MEDICAL**  
**GRADE STAINLESS STEE**

### SLI TMI-1204

#### Special Features:

This Electromatic sliding top O.T. Table is suitable for all kind of surgeries, i.e. general surgery, vascular surgery, cardio, neurology, urology, gynaecology, proctology, laparoscopy, traumatic surgery, plastic surgery and others. The base & column of the table is made of high quality medical stainless steel (Grade - 304). Non-reflecting surface, antibacterial & easy to clean. We provide with a top sliding of 5inch back/ forward. Height adjustment, Lateral Tilts, Trendelenburg, and Flex - Reflex, Chair Position and Longitudinal Sliding top are realized by Remote control

#### TABLE POSITIONS:

- Height Adjustment - Up & Down
- Lateral Tilt - Left & Right
- Trendelenburg & Reverse Trendelenburg
- Flex Position & Reflex Position

#### Technical Data

<b>Length of Table</b>	1900 mm
<b>Width of Table Top</b>	520 mm
<b>Minimum Height (without Mattress)</b>	Min. 750 mm
<b>Maximum Height (without Mattress)</b>	Max. 1000 mm
<b>Trendelenburg</b>	25°
<b>Reverse Trendelenburg</b>	25°
<b>Lateral Tilt</b>	+20°
<b>Back Section</b>	+70°
<b>Head Section</b>	+60°
<b>Leg Section</b>	0°-90°
<b>Floor Locking System</b>	Manual

#### Salient Features:

- Eccentric Pillars • Stainless Fitting • Detachable, head, leg & Pelvic section • In built kidney bridge • Four Sectional Radio - Translucent Top. • Base & Cover made of attractive, easy to clean Stainless Steel.
- Sophisticated mechanics provide smooth, step less articulation of the table Top for precise patient positioning.
- Standby Battery Back-up with recharging circuit

#### OPTIONAL



Low Height



Floor Locking by Remote





## ELECTRIC OT TABLE WITH SLIDING TOP



**STEEL QUALITY 304 MEDICAL GRADE STAINLESS STEEL**



**ADDITIONAL CONTROL PANE**



**MEMORY FUNCTION**



**ZERO POSITION**

### SLI TMI-1204 ADVANCE Special Features:

This Electromatic sliding top O.T. Table is suitable for all kind of surgeries, i.e. general surgery, vascular surgery, cardio, neurology, urology, gynaecology, proctology, laparoscopy, traumatic surgery, plastic surgery and others. The base & column of the table is made of high quality medical stainless steel (Grade - 304). Non-reflecting surface, antibacterial & easy to clean. We provide with a top sliding of 5inch back/ forward. Height adjustment, Lateral Tilts, Trendelenburg, and Flex - Reflex, Chair Position and Longitudinal Sliding top are realized by Remote control

#### TABLE POSITIONS:

- Height Adjustment - Up & Down
- Lateral Tilt - Left & Right
- Trendelenburg & Reverse Trendelenburg
- Flex Position & Reflex Position

### Technical Data

<b>Length of Table</b>	1900 mm
<b>Width of Table Top</b>	520 mm
<b>Minimum Height (without Mattress)</b>	Min. 750 mm
<b>Maximum Height (without Mattress)</b>	Max. 1000 mm
<b>Trendelenburg</b>	25°
<b>Reverse Trendelenburg</b>	25°
<b>Lateral Tilt</b>	+20°
<b>Back Section</b>	+70°
<b>Head Section</b>	+60°
<b>Leg Section</b>	0°-90°
<b>Floor Locking System</b>	Manual

### OPTIONAL



Low Height



Floor Locking by Remote

### Salient Features:

- Eccentric Pillars • Stainless Fitting • Detachable, head, leg & Pelvic section • In built kidney bridge • Four Sectional Radio - Translucent Top. • Base & Cover made of attractive, easy to clean Stainless Steel.
- Sophisticated mechanics provide smooth, step less articulation of the table Top for precise patient positioning.
- Standby Battery Back-up with recharging circuit





Manufacturer / Suppliers / Authorized Dealers & Importers

# SAVE-LiFE

Everything Under One Roof!

Certified Company

# 25

YEARS  
EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

## NEURO ATTACHMENT



**STEEL QUALITY 304 MEDICAL GRADE STAINLESS STEE**

**SLI TMI-1205**

We are ranked as one of the leading manufacturers, suppliers, exporters, traders and distributors of excellent quality Neuro Surgery Attachments. These neuro surgery attachments provide neuro surgeons stable and excellent support as they perform different medical procedures. These neuro surgery attachments are very durable made from excellent quality stainless steel and other materials. We provide ophthalmologic procedures using the narrow headrest, neurology procedures in prone position and supine position (Sugita six pin fixator and Horse Shoe).



Horse Shoe Position



Sugita Head Fixator for Supine position & Skull Pins





Manufacturer / Suppliers / Authorized Dealers & Importers

# SAVE-LiFE

Everything Under One Roof!

Certified Company

# 25

YEARS  
EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

## ALBEE'S TYPE ORTHO ATTACHMENT



### SLI TMI-1206 ALBEE'S TYPE

#### Special Features

Ortho Attachment allows the table to be used for the lower extremity procedures. Available at competitive prices our ortho attachment is purely made of stainless steel which resist corrosion.

#### Salient Features

- The Orthopaedic Attachment can be used with any operating table.
- In addition, a pelvic support plate is supported on top of the frame and is formed with an asymmetrical construction.
- Stirring Instruments allows flexion/raising of legs & stirring/string ball joints locked from foot end.
- Two traction devices on sliding spot with ball joint allowing flexions & rotations of foot with traction shoe with metallic sole.
- Padded orthopaedic knee crutches/provides support to the legs of the patient.



Patient positioning for Neck of femur nailing traction (D.H.S)



Femur treatment in lateral position



Tibia extension position





Manufacturer / Suppliers / Authorized Dealers & Importers

# SAVE-LiFE

Certified Company

Everything Under One Roof!

25  
YEARS  
EXPERIENCE




GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

## HANGING TYPE ORTHOPEDIC ATTACHMENT



### SLI TMI-1206 HANGINGTYPE

#### Special Features

Ortho Attachment allows the table to be used for the lower extremity procedures. Available at competitive prices our ortho attachment is purely made of stainless steel which resist corrosion.

#### Salient Features


- The Orthopaedic Attachment can be used with any operating table.
- In addition, a pelvic support plate is supported on top of the frame and is formed with an asymmetrical construction.
- Stirring Instruments allows flexion/raising of legs & stirring/string ball joints locked from foot end.
- Two traction devices on sliding spot with ball joint allowing flexions & rotations of foot with traction shoe with metallic sole.
- Padded orthopaedic knee crutches/provides support to the legs of the patient.





## OPHTHALMIC ELECTRIC OT TABLE

**STEEL QUALITY 304 MEDICAL GRADE STAINLESS STEE**



OPTIONAL: UP & DOWN BY HYDRAULIC SYSTEM

OPTIONAL: BATTERY BACKUP

### SLI TMI-1207 OPTHALMIC

#### Special Features

This Ophthalmic Table is specially designed for ophthalmic surgery. Three sectional table is provided with drainage system in the head section. The table has sturdy base, column made up of stainless steel, antibacterial and is easy to clean. Electromotive height with the help of lightweight handheld control.

#### Standard Accessories

- Aesthetic Screen
- IV Pole
- Hand Rest
- Matters

#### Technical Data

<b>Length of Table</b>	1900 mm
<b>Width of Table Top</b>	520 mm
<b>Minimum Height (without Mattress)</b>	Min. 750 mm
<b>Maximum Height (without Mattress)</b>	Max. 1000 mm
<b>Leg Section</b>	0°-90°



Foot Switch (Optional)



Instrument Tray (Optional)

#### Salient Features:

- Eccentric Pillars •Stainless Fitting • Detachable, head, leg & Pelvic section • In built kidney bridge • Four Sectional Radio - Translucent Top. • Base & Cover made of attractive, easy to clean Stainless Steel.
- Sophisticated mechanics provide smooth, step less articulation of the table Top for precise patient positioning.
- Standby Battery Back-up with recharging circuit





Manufacturer / Suppliers / Authorized Dealers & Importers

# SAVE-LiFE

Everything Under One Roof!

Certified Company

# 25

YEARS  
EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

## ELECTRIC GYNECOLOGICAL OBSTETRIC OT TABLE

**STEEL QUALITY 304 MEDICAL  
GRADE STAINLESS STEEL**



**Colour options:**



White Blue Black

**OPTIONAL: BATTERY BACKUP**



**SLI TMI-1208**

**Special Features**

Obstetrics operating room table perfect for all kinds of gynaecological operations. The cover for base and column is made of 304 stainless steel, good performance on anti-rust and easy to clean.

**Salient Features:**

- Functional and versatile
- Flexibility and precision
- Hygienic design
- Easy cleaning • User-

**Standard Accessories:**

- Arm Rest - 2 pcs.
- Birth Handle - 2 pcs.
- Mattress
- Gynae Tray



Examination & Birthing Position



Gynae Tray



Birthing Handle

### Technical Data

Length of Table	1900 mm
Width of Table Top	520 mm
Minimum Height (without Mattress)	Min. 750 mm
Maximum Height (without Mattress)	Max. 1000 mm
Trendelenburg	±20°
Back Section	±70°
Floor Locking System	Manual



Foot Switch (Optional)





Manufacturer / Suppliers / Authorized Dealers & Importers

# SAVE-LIFE

Everything Under One Roof!

Certified Company

# 25

YEARS  
EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

## DERMA CHAIR



STEEL QUALITY 304 MEDICAL  
GRADE STAINLESS STEE

OPTIONAL: BATTERY BACKUP

Colour options:



White Blue Black

### SLI TMI-1209

#### Special Features

- Luxurious Styling
- Multi-position section couch
- Suitable for all Dermatology, Cosmetology & Laser Surgery.
- Stable and professional design, unlike Saloon Chairs.
- Three independent motors - for Height, Leg Section & Back Section
- Elegant upholstery and all English colour



Foot Switch (Optional)



Height Adjustment - Up / Down

#### Technical Data

Power	230 V 50
Size (mm)	2000x610x700
Weight	80 Kgs
Motors	3 independents
Remote	Provided





Manufacturer / Suppliers / Authorized Dealers & Importers

# SAVE-LIFE

Everything Under One Roof!

Certified Company

25 YEARS EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

## ELECTRIC ANIMAL OPERATING TABLE

STEEL QUALITY 304 MEDICAL GRADE STAINLESS STEE



Foot Switch (Optional)

OPTIONAL: BATTERY BACKUP mm

OPTIONAL: UP & DOWN BY HYDRAULIC SYSTEM 

SLI TMI-1301

### Special Features

- Electric up and down function.
- It is suitable for small animal's operation, such as sheep, dog etc.
- It is reasonable structured, tight, high performance, easy operation and has very strong practicability.
- Fully made of Premium Grade 304 Stainless Steel, it is heat-resistant, corrosion protective and rustproof.
- The surface of the table-top is V shaped and is smooth and easy to clean and disinfect, thus, it can avoid cross infection
- Equipped with fluid collecting through system.

### Technical Data

Length of Table	1220mm (48")
Width of Table	610mm (24")
Minimum Heigh	Min. 660 mm (26")
Maximum Heigh	Max. 915 mm (36")





Manufacturer / Suppliers / Authorized Dealers & Importers

# SAVE-LIFE

Everything Under One Roof!

Certified Company

# 25

YEARS  
EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

## STANDARD ACCESSORIES

Leg Support

Aesthetic Screen

Perineal Post

Shoulder Support



Remote Control

Additional Control Panel



ARM REST



SHOULDER SUPPORT



ANESTHETIC SCRE



CLAMPS



LEG SUPPORT



MATTRESS





Manufacturer / Suppliers / Authorized Dealers & Importers

# SAVE-LiFE

Everything Under One Roof!

Certified Company

# 25

YEARS  
EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

## OPTIONAL ATTACHMENT ACCESSORIES



**SPLIT LEG SECTION**  
OA-1



**RESTRAINT BODY STRAP**  
OA-2



**BOLSTER PILLOW**  
OA-3



**INSTRUMENT TRAY**  
OA-4



**FOOT SUPPORT**  
OA-5



**CERVICAL IN SUPINE /  
LAMINECTOMY FRAME**  
OA-6



**HUMERUS SUPPORT**  
OA-7



**TABLE LENGTH EXTENSION**  
OA-8



**STEINMANN PIN  
CLAMP HOLDER**  
OA-9



**SPINE SURGERY USING  
CUSHION SPINE FRAME**  
OA-10




**ARM TRACTION DEVICE /  
PERINEAL POS**  
OA-11



**UROLOGY | GYNAE TRAY**  
OA-12



**HORSE SHOE**  
OA-13



**KNEE SUPPORT**  
OA-14



**FIXATOR FOR  
SITTING POSITION**  
OA-15



**SHOULDER SURGE**  
OA-16



**HAND SURGERY TABLE**  
OA-17



**WIDTH EXTENSION**  
OA-18



**ARTHROSCOPY ATTACHMENT**  
OA-19



**WRISTLET**  
OA-20



**X-RAY TOP**  
OA-21



**ORTHOPAEDIC  
ATTACHMENT STAN**  
OA-22



**ACCESSORIES STAN**  
OA-23

