




Wholesale Supplier
PEDEATRIC (NICU) EQUIPMENT
(Phototherapy)
A to Z Hospital Equipment and Surgical
Products B to C



9762 058 786



9762 058 786



info@savelifeindia.com



Sr. No. 29/1/2, Adarsh Nagar,
Uruli Devachi, Hadapsar, Pune
Network: PAN India



www.savelifeindia.com



Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LiFE

Everything Under One Roof!

Certified Company

25

YEARS
EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

STAND MODEL LED PHOTOTHERAPY

SLI-SP-0101



18 LED. High power LED provides to cover the bed area and a for effective Phototherapy treatment. No ultraviolet rays ensure to minimize the UV exposures. No infrared rays ensure to minimize the water loss. Adjustable Height - Conveniently allows you to control Radiance levels on the neonate and different allows you to cradle. Convenient Tilting of source Unit, Height Adjustment with Single hand and Castor with elegant maneuvering helps to place the system at different positions, at user convenience. Lamp usage hours greater than 45,000 hours ensure no need for frequent change of lamp.

Weight: 20 Kilograms (kg) (Approx)

Long Life > 45,000 hrs.

Power LED's emitting blue light in 450-470 NM.

Operation Voltage: 100-250V AC, 50Hz.

Intensity: 14000 LUX

M.S. Fabrication with powder coated paint





Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LiFE

Everything Under One Roof!

Certified Company

25 YEARS EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup



SLI-SP-0102

18 LED. High power LED provides to cover the bed area and a for effective Phototherapy treatment. No ultraviolet rays ensure to minimize the UV exposures. No infrared rays ensure to minimize the water loss. Adjustable Height - Conveniently allows you to control Radiance levels on the neonate and different allows you to cradle. Convenient Tilting of source Unit, Height Adjustment with Single hand and Castor with elegant maneuvering helps to place the system at different positions, at user convenience. Lamp usage hours greater than 45,000 hours ensure no need for frequent change of lamp.

Weight: 20 Kilograms (kg) (Approx)

Long Life > 45,000 hrs.

Power LED's emitting blue light in 450-470 HM.

Operation Voltage: 100-250V AC, 50Hz.

Intensity: 14000 LUX

M.S. Fabrication with powder coated paint





Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LIFE

Everything Under One Roof!

Certified Company

25

YEARS
EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup



AM-US

SLI-PL-AM-US



AM-UST
(SINGLE SURFACE)

SLI-PL-AM-UST

LED PHOTOTHERAPY STAND WITH TROLLY



AM-DSP

SLI-PL-AM-DSP

UPPER SURFACE LED STAND

DOUBLE SURFACE LED PHOTOTHERAPY

18 Pc. Hi power LED provides to cover the bed area and for effective Phototherapy treatment No ultraviolet rays ensures minimize the UV exposures. No infrared rays ensure minimize the water loss. Adjustable Height - Conveniently allows you to control Radiance levels on the neonate and different types of cradles.

Convenient Tilting of Source Unit, Height Adjustment with Single hand and Castor with elegant maneuvering helps to place the system at different positions, at user convenience. Lamp usages hours greater than 45,000 hours ensures no need of frequent change of lamp.

- Optional: Time Totalizer
- Power LED's emitting blue light in 450- 470 NM.
- Long Life > 45,000 hrs.
- Intensity: >25 $\mu\text{w}/\text{cm}^2/\text{HM}$.
- M.S. Fabrication with powder coated paint.
- Operation Voltage: 100-250 V AC, 50Hz





Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LiFE

Certified Company

Everything Under One Roof!

25 YEARS EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

UPPER SURFACE PHOTOTHERAPY STAND

Sturdy mobile stand with height adjustment and easy swiveling of source box Unit can be used along with Infant Care Trolley, Radiant Warmer and Incubator.

- Four, 2 Feet imported tubular low pressure mercury vapor fluorescent lamps emitting blue radiation with a peak at 450 nm specially used for hyperbilirubinemia treatment.
- Two day-light tubes for observation Clear filter.
- Irradiance approx. 12-15 μ watts/cm/nm 2 Optional Source Cooling Fan.
- Optional Time Totalizer.



SLI-US-0103

UPPER SURFACE PHOTOTHERAPY WITH BABY CRADLE

Sturdy mobile stand with height adjustment and easy swiveling of source box Unit can be used along with Infant Care Trolley, Radiant Warmer and Incubator.

- Four, 2 Feet imported tubular low pressure mercury vapor fluorescent lamps emitting blue radiation with a peak at 450 nm specially used for hyperbilirubinemia treatment
- Two day-light tubes for observation Clear filter
- Collapsible side supports
- Baby Tray with thick cushion mattress
- Clear filter
- Irradiance approx. 12-15 μ watts/cm/nm 2
- Optional Source Cooling Fan
- Optional Time Totalizer.



SLI-BC-0104



Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LiFE

Everything Under One Roof!

Certified Company

25 YEARS EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

UPPER SURFACE PHOTOTHERAPY WITH TROLLEY

Sturdy mobile stand with height adjustment and easy swiveling of source box Unit can be used along with Infant Care Trolley, Radiant Warmer and Incubator.

- Four, 2 Feet imported tubular low pressure mercury vapor fluorescent lamps emitting blue radiation with a peak at 450 nm specially used for hyperbilirubinemia treatment
- Two day-light tubes for observation
- Clear filter
- Irradiance approx. 12-15 $\mu\text{watts/cm/nm}^2$
- Optional Source Cooling Fan
- Optional Time Totalizer.

SLI-PT-0105



INFANT TROLLEY

Sturdy mobile crib mounted on castors can be used along with warmer stand, wall mounted warmer, phototherapy stand & as a separate bed for neonates

- Easy access of an Infant from all sides due to clear acrylic collapsible side panels
- Baby tray with transparent slot to incorporate the facility of Under Surface Phototherapy
- Acrylic Baby Tray for infant's head Up / Down facility Provision for positioning X-Ray cassette
- Two Lower shelf
- Thick cushion mattress
- Movable on castors





Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LIFE

Everything Under One Roof!

Certified Company

25 YEARS EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

DOUBLE SURFACE PHOTOTHERAPY UNIT WITH TROLLEY

Sturdy mobile stand with height adjustment and easy swiveling of source box Unit can be used along with Infant Care Trolley, Radiant Warmer and Incubator.

- Four, 2 Feet imported tubular low pressure mercury vapor fluorescent lamps emitting blue radiation with a peak at 450 nm specially used for hyperbilirubinemia treatment
- Two day-light tubes for observation
- Clear filter
- Irradiance approx. 12-15 $\mu\text{watts/cm/nm}^2$
- Optional Source Cooling Fan
- Optional Time Totalizer.

SLI-DT-0106



INFANT TROLLEY

Sturdy mobile crib mounted on castors can be used along with warmer stand, wall mounted warmer, phototherapy stand & as a separate bed for neonates

- Easy access of an Infant from all sides due to clear acrylic collapsible side panels
- Baby tray with transparent slot to incorporate the facility of Under Surface Phototherapy
- Acrylic Baby Tray for infant's head Up / Down facility Provision for positioning X-Ray cassette
- Two Lower shelf
- Thick cushion mattress
- Movable on castors

UNDER SURFACE PHOTOTHERAPY Detachable source box can be used along with radiant warmer and infant crib

Four, 2 Feet imported tubular low pressure mercury vapor fluorescent lamps emitting blue radiation with a peak at 450 nm specially used for hyperbilirubinemia treatment

Two day-light tubes for observation Clear filter

Irradiance approx. 12-15 $\mu\text{watts/cm /nm}$ Optional Source Cooling Fan

Optional Time Totalizer





UPPER SURFACE PHOTOTHERAPY WITH TROLLEY

Detachable source box can be used along with radiant warmer and infant crib

- Four, 2 Feet imported tubular low pressure mercury vapor fluorescent lamps emitting blue radiation with a peak at 450 nm specially used for hyperbilirubinemia treatment
- Two day-light tubes for observation
- Clear filter
- Irradiance approx. 12-15 $\mu\text{watts/cm}^2/\text{nm}$
- Optional Source Cooling Fan
- Optional Time Totalizer



INFANT TROLLEY

- Sturdy mobile crib mounted on castors can be used along with warmer stand, wall mounted warmer, phototherapy stand & as a separate bed for neonates
- Easy access of an Infant from all sides due to clear acrylic collapsible side panels
- Baby tray with transparent slot to incorporate the facility of Under Surface Phototherapy
- Acrylic Baby Tray for infant's head Up / Down facility
- Provision for positioning X-Ray cassette
- Two Lower shelf
- Thick cushion mattress
- Movable on castors

LED PHOTOTHERAPY

An innovative and new generation method, incorporating a state-of-the-art blue LED light source for the treatment of newborn jaundice. Designed to overcome the drawbacks of conventional phototherapy units. Specially arranged LEDs allows to optimal coverage of light over baby.

LED Phototherapy is the next generation LED based technology for treatment of indirect hyperbilirubinemia in newborns. Blue LEDs emit most of their light in the 450-470 nm spectrum. This range corresponds to the peak absorption wavelength (458 nm) at which bilirubin is broken down.

It has features that are needed for intensive, efficacious phototherapy. Advanced blue spectrum High Intensity Super LEDs produce minimal heat with low energy consumption in a dramatically reduced size. Super blue LED's used have long life and low maintenance cost.

- Increased surface area
- High spectral irradiance
- Long lasting blue narrow-band LED light
- Advanced Blue Spectrum Irradiation
- More Efficient Than Other Modes of Therapy
- Compact, lightweight, Aesthetic, No heat
- 17 High intensity Super Blue and 4 White LEDs
- Time totalizer with Dose received, Usage, etc.

FEATURES: TREATMENT TIMER

- 2 LINE LCD DISPLAY
- TOTAL USAGE INDICATION
- DOSE TIMING UPTO 24:00H
- MEMBRANE KEYS
- COUNT UP TIMER
- DOSE RECEIVED

SPECIFICATIONS

| | |
|-------------------|---|
| Wavelength | : 450 nm – 470 nm |
| Irradiance | : < 25 $\mu\text{watts/cm}^2/\text{nm}$ |
| Height Adjustment | : Available |
| Tilting Facility | : Available |
| Power Consumption | : 25W |
| Mobile on Castors | |





Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LiFE

Everything Under One Roof!

Certified Company

25

YEARS
EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

PHOTOTHERAPY UNIT DELUXE

LED Bilipod




SLI-LB-0108




ABS

ABS Plastic Construction



Optimal Wavelength of 460nm



High Irradiance
>30µW/cm²
at 45cm distance



No Infrared Radiation



No Ultraviolet Radiation



Low Power Consumption Only 25W



Low Power Consumption Only 25W



Lamp unit tilt up to 90°



Height Adjustable up to 50 cm



Two Observation Lamp



LCD based timer Patient and Total usage



Fast LED Cooling with Noiseless Fan



Tested as per EN/IEC 60601-1, EN/IEC 60601-1-2 EN/IEC 60601-2-50



European CE Certified

Order Code:



Bilipod LED Phototherapy Unit from Above



Bilipod LED Phototherapy Unit with Baby Tray





Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LiFE

Everything Under One Roof!

Certified Company

25

YEARS
EXPERIENCE




GSTIN-27AFPPS3549Q1ZB




Specialist in Hospital Setup

LED BILIPOD DOUBLE SURFACE DELUXE

SLI-DIB-0109



Sturdy Bassinet
Trolley with
Dropdown Glasses



High Irradiance

Order Code:



Available with
Detachable Trolley



Bilipod LED Double
Surface
Phototherapy Unit

Order Code:



Bilipod LED Double
Surface Phototherapy Unit
with Detachable trolley



Bilipod LED
ototherapy Unit
from Below

LED BILIPOD 360 DELUXE


SLI-LB-360



Graphic LCD
Display



Electrical Elevation
of Upper couple
up to 25 cm



High Irradiance
>60 $\mu\text{W}/\text{cm}^2$



Slide out tray for
Easy access of
the baby



360 degree
multi-directional
Uniform Light
Distribution



Integrated cooling
fan system





Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LiFE

Everything Under One Roof!

Certified Company

25

YEARS
EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

LED BILIPOD DELUXE



Winner of



Mother-Baby bonding
(No barrier during
phototherapy)



Portable, Light weight
(<200g), Space Conserve



Maintenance Free,
can be easily
cleaned



Power Saving.
Cost Effective



Easy
Installation



Quiet Operation,
Shock Proof

LED BILIPOD PORTABLE DOUBLE SURFACE DELUXE



SLI-PD-0110



BILIPAD used for under
surface phototherapy



Portable,
Compact, Light
Weight



Modern Design, Low
Space Consumption



Bilipod LED used for
overhead phototherapy



Easy
Installation



Low
Maintenance





Wholesale Supplier
PEDEATRIC (NICU) EQUIPMENT
(WARMER)
A to Z Hospital Equipment and Surgical
Products B to C



9762 058 786



9762 058 786



info@savelifeindia.com



Sr. No. 29/1/2, Adarsh Nagar,
Uruli Devachi, Hadapsar, Pune
Network: PAN India



www.savelifeindia.com



Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LiFE

Everything Under One Roof!

Certified Company

25

YEARS EXPERIENCE




GSTIN-27AFPPS3549Q1ZB




Specialist in Hospital Setup

INFANT RADIANT WARMER

SLI-SW-0201



Based on micro processor technology for better accuracy.



- Three Selection Mode: Servo/Manual/ Prewarm
- Air/Skin Servo Controlled System.
- Acrylic Baby Tray with tilt facilities for infant's head Up/ Down.
- Micro controller technology assures accurate maintenance of set temperature and real temperature.
- Percentage (%) LED Indicator for Heater power
- Heater output with 40% resolution in manual mode
- Alarm indication of Low / High Temperature, Power failure, Temperature Prob failure.
- Mute/ Unmute Facility of alarm.
- Easy access of an infant from all sides due to clear acrylic collapsible side panel.
- Instrument tray, Pole for infusion pump & IV Stand.
- Parabolic reflector to send uniform heat to baby cradle.
- Self -Heat System.
- User friendly tether Keypad



CERAMIC HEATER 220/230V 650W





INTENSIVE CARE SERVO WARMER

AM-WR02(DUAL PROBE) SKIN & AIR PROBE SILENT FEATURES

EASY TO USE

As technology advanced, we have kept the Warmer simple & easy to use with touch controls

FOCUSED HEATING

The heater with reflector makes it easier to work with the baby by efficiently providing even heat distribution across the cradle and not into the surrounding environment.

AIR CONTROL MODE

Air control is an electronic feedback system which functions as a thermostat to maintain a constant temperature of baby cradle by regulating the heat output of Radiant Warmer. It Also acts as a WATCH DOG as Air over temperature cuts off heater even if the Warmer is operating in servo mode

MANUAL MODE

The Manual mode allows the Warmer to be kept 'baby ready' without nuisance alarms. When needed the Warmer provides safe, powerful & controlled warming to restore the temperature drop experienced by the baby immediately after delivery.

TECHNICAL SPECIFICATION

- **Power Source** : 230V AC, +10%,50Hz.
- **Light Source** : LED Light to examine babies.
- **Heater Capacity** : 600 Watts.
- **Power Consumption** : 800 Watts at 100% Heater power.

SLI-DW-0202



SERVO CONTROL MODE

Servo control is an electronic feedback system which functions as a thermostat a constant temperature at the site of skin probe by regulating the heat output of Radiant Warmer maintaining a constant abdominal Skin temperature between 36.5 & 37.0 C is the simplest way to provide a "Thermoneutral" environment, minimizing the no. of calories needed to maintain normal body temperature & reducing the risks of cold stress or overheating. Servo control is the only acceptable method of heat regulation for the infant cared for under a Radiant Warmer.

INFANT WARMER (SKIN/MANUAL)

Skin temperature displayed on 1 "bright Red LED display".
Set temperature displayed on separate bright red LED display.
Two modes of warming i.e. Skin, Air & Manual.
Heater output in 10 equal steps in percentage. Programmable
Heater power & Time in Manual mode. Individual LED for
selection for mode (Skin, Air & Manual).

APGAR TIMER / ATTEDN BABY ALARM
PROGRAMMABLE MUTE TIME SET TEMPERATURE
RANGE: SKIN 25C-39C

OPTIONAL: X-RAY PROVISION, BATTERY BACKUP,
HEIGHT ADJUSTMENT, OVAL SHAPE TROLLEY





Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LiFE

Everything Under One Roof!

Certified Company

25

YEARS
EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

INTENSIVE CARE WARMER



SLI-SW-0203

AM-WR01 (SINGLE PROBE) SKIN PROBE

SILENT FEATURES

EASY TO USE

As technology advanced, we have kept the Warmer simple & easy to use with touch controls

FOCUSED HEATING

The heater with reflector makes it easier to work with the baby by efficiently providing even heat distribution across the cradle and not into the surrounding environment.

AIR CONTROL MODE

Air control is an electronic feedback system which functions as a thermostat to maintain a constant temperature of baby cradle by regulating the heat output of Radiant Warmer. It Also acts as a WATCH DOG as Air over temperature cuts off heater even if the Warmer is operating in servo mode

MANUAL MODE

The Manual mode allows the Warmer to be kept 'baby ready' without nuisance alarms. When needed the Warmer provides safe, powerful & controlled warming to restore the temperature drop experienced by the baby immediately after delivery.

FIXED CRADLE BABY WARMER

SLI-OH-0204 SLI-OH-0206
SLI-AB-0210 SLI-OH-0205



OXYGEN HOOD

SLI-LS-0208 SLI-AB-0209



LARYNGOSCOPE

SLI-AB-0210
SLI-LS-0211 SLI-AB-0212



SILICON AMBU BAGE





INTENSIVE CARE SERVO WARMER

SLI-SW-301



AM-WR02(DUAL PROBE) SKIN & AIR PROBE

SILENT FEATURES

EASY TO USE

As technology advanced, we have kept the Warmer simple & easy to use with touch controls

FOCUSED HEATING

The heater with reflector makes it easier to work with the baby by efficiently providing even heat distribution across the cradle and not into the surrounding environment.

AIR CONTROL MODE

Air control is an electronic feedback system which functions as a thermostat to maintain a constant temperature of baby cradle by regulating the heat output of Radiant Warmer. It Also acts as a WATCH DOG as Air over temperature cuts off heater even if the Warmer is operating in servo mode

MANUAL MODE

The Manual mode allows the Warmer to be kept 'baby ready' without nuisance alarms. When needed the Warmer provides safe, powerful & controlled warming to restore the temperature drop experienced by the baby immediately after delivery.

TECHNICAL SPECIFICATION

- **Power Source** : 230V AC, +10%,50Hz.
- **Light Source** : LED Light to examine babies.
- **Heater Capacity** : 600 Watts.
- **Power Consumption** : 800 Watts at 100% Heater power.

SERVO CONTROL MODE

Servo control is an electronic feedback system which functions as a thermostat a constant temperature at the site of skin probe by regulating the heat output of Radiant Warmer maintaining a constant abdominal Skin temperature between 36.5 & 37.0 C is the simplest way to provide a "Thermoneutral" environment, minimizing the no. of calories needed to maintain normal body temperature & reducing the risks of cold stress or overheating. Servo control is the only acceptable method of heat regulation for the infant cared for under a Radiant Warmer.

INFANT WARMER (SKIN/MANUAL)

Skin temperature displayed on 1 "bright Red LED display".
Set temperature displayed on separate bright red LED display.
Two modes of warming i.e. Skin, Air & Manual.
Heater output in 10 equal steps in percentage. Programmable Heater power & Time in Manual mode. Individual LED for selection for mode (Skin, Air & Manual).

APGAR TIMER / ATTEDN BABY ALARM
PROGRAMMBLE MUTE TIME SET TEMPERATURE
RANGE: SKIN 25C-39C

OPTIONAL: X-RAY PROVISION, BATTERY BACKUP,
HEIGHT ADJUSTMENT, OVAL SHAPE TROLLEY





INTENSIVE CARE SET-UP

Photo Therapy Unit (Single Surface)

Description:

- Fitted with 2 Blue & 4 white fluorescent tubes. (2 feet)
- with baby cradle.
- Mounted on castors.



Photo Therapy Unit (Double Surface)

Description:

- Fitted with 2 Blue & 4 white fluorescent tubes. (2 feet) in upper and lower surface
- with baby cradle.
- Mounted on castors.



Radiant Warmer

Description:

- Skin/Air/Manual (LCD)
- 1" Bright FND, Skin Temp.
- Display. 1" Bright FND, Air Temp. Display.
- LED Bar heater output % Display.
- Set Temp. Display on FND/LCD by mode selection
- All modes Display on LCD.
- Timer Display on LCD.
- Auto Mode
- All Safety Alarms, Visual display on LCD.
- Skin Mode
- Skin Temp. High (>0.5°C of setTemp.)
- Skin Temp. Low (<0.5°C of setTemp.)
- Skin Temp. over range (>38°C)
- Skin Temp. under range (<34°C)
- Skin Sensor fail alarm.
- Air Mode / Safety Alarm & High Temp. cut off/ Power failure Alarm.
- **Technical Data:**
- Input Voltage 220V/AC+10% 50Hz.
- Light Source 50Watts Bulb to examine Baby



SLI-ST-004

SLI-ST-005





Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LiFE

Everything Under One Roof!

Certified Company

25 YEARS EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

INTENSIVE CARE WARMER

SLI-WD-5001



AM-WR01 (SINGLE PROBE) SKIN PROBE

SILENT FEATURES

EASY TO USE

As technology advanced, we have kept the Warmer simple & easy to use with touch controls

FOCUSED HEATING

The heater with reflector makes it easier to work with the baby by efficiently providing even heat distribution across the cradle and not into the surrounding environment.

AIR CONTROL MODE

Air control is an electronic feedback system which functions as a thermostat to maintain a constant temperature of baby cradle by regulating the heat output of Radiant Warmer. It Also acts as a WATCH DOG as Air over temperature cuts off heater even if the Warmer is operating in servo mode

MANUAL MODE

The Manual mode allows the Warmer to be kept 'baby ready' without nuisance alarms. When needed the Warmer provides safe, powerful & controlled warming to restore the temperature drop experienced by the baby immediately after delivery.





Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LIFE

Everything Under One Roof!

Certified Company

25

YEARS
EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

INFANT WARMERS DELUXE

SLI-WD-5002




10.1" Touch Screen



Patient Records



01:00:00 Programmable Timers



Inbuilt Weighing Scale



Inbuilt SpO2 Module (Nonin SAT)



Inbuilt Resuscitation Module



360-degree Bed Rotation



Smooth Bed Tilting



Electronic Height Adjustment



Polycarbonate unbreakable Side Support



Modular Design



Sliding X-Ray Cassette Tray



Molded Fiber Heater Unit




Heater Unit rotates 90° on both sides



LED Observation Lamp with Dimming



Monitor Tray Adjusted or swiveled



Storage Drawers provided



Track based Rail for Multiple Monitors or Pumps





Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LIFE

Everything Under One Roof!

Certified Company

25

YEARS EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

INFANT WARMERS DELUXE

SLI-WD-5003



AM IW6000 with Neotherm D20



SLI-WD-5004

AM IW6000 with Neotherm D10 Optional

360-degree Bed Rotation

Smooth Bed Tilting

Electronic Height Adjustment

Polycarbonate unbreakable Side Support

Long Side Rail for Multiple Monitors or Pumps

Sliding X-Ray Cassette Tray

Molded Fiber Heater Unit

Heater Unit rotates 90° on both sides

LED Observation Lamp

Monitor Tray Adjusted or swiveled

Storage Drawers provided

European CE Certified

Optional

Inbuilt SpO2 Module (Nonin USA)

Optional

Inbuilt Resuscitation Module

LED Phototherapy from above

AM IW6000 with Neotherm D20

LED Display
Skin and Air Temp. Control

AM IW6000 with Neotherm D10

LED Display
Skin Temp. Control

Order code: AM IW6200

Order code: AM IW6100



Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LiFE

Everything Under One Roof!

Certified Company

25

YEARS EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

INFANT WARMERS DELUXE

SLI-PW-6001



ABS

ABS Plastic Construction



Heater Unit rotates 90° on both sides



LED Observation Lamp



Polycarbonate unbreakable Side Support



Oval shaped Bassinet Trolley



Lockable Castor wheels



Smooth Bed Tilting



Microcontroller based Temperature Control



Large Temp Display with Battery Backup



Feather touch User Interface



Battery Backup of Temperature during Power fail




Audio visual Alarms including Sensor fail, Sensor Placement, Heater fail

Optional



LED Phototherapy from above

Optional



Storage Drawers provided

Optional



Smooth Bed Tilting with X-Ray Tray Facility

AM IW7000 with Neotherm D20



LED Display
Skin and Air Temp. Control

Order code: AM

AM IW7000 with Neotherm D10



LED Display
Skin Temp. Control

Order code: AM IW7100





Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LiFE

Everything Under One Roof!

Certified Company

25

YEARS EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

INFANT WARMERS DELUXE

SLI-PW-6003



ABS

ABS Plastic Construction



Heater Unit rotates 90° on both sides



LED Observation Lamp



Polycarbonate unbreakable Side Support



Oval shaped Bassinet Trolley



Lockable Castor wheels



Easy Mattress Tilting



Microcontroller based Temperature Control



Large Temp Display with Battery Backup



Feather touch User Interface



Battery Backup of Temperature during Power fail



Audio visual Alarms including Sensor fail, Sensor Placement, Heater fail

Optional



LED Phototherapy from above

Optional



Storage Drawers provided

Optional



Smooth Bed Tilting with X-Ray Tray Facility

AM IW5000 with Neotherm D20



LED Display Skin and Air Temp. Control

AM IW5000 with Neotherm D10



LED Display Skin Temp. Control

Order code: AM IW5200

Order code: AM IW5100





Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LiFE

Everything Under One Roof!

Certified Company

25 YEARS EXPERIENCE



GSTIN-27AFPPS3549Q1ZB




Specialist in Hospital Setup

INFANT WARMERS DELUXE



SLI-HD-7001

AM IW4000 with Neotherm D10



SLI-HD-7002

AM IW4000 with Neotherm D20

MS MS Plastic Construction

Heater Unit rotates 90° on both sides

LED Observation Lamp

Polycarbonate unbreakable Side Support

Rectangle Bassinet Trolley

Lockable Castor wheels

Easy Mattress Tilting

Microcontroller based Temperature Control

Large Temp Display with Battery Backup

Feather touch User Interface

Battery Backup of Temperature during Power fail

Audio visual Alarms including Sensor fail, Sensor Placement, Heater fail

Optional

LED Phototherapy from above

Optional

Storage Drawers provided

TESTED Tested as per EN/IEC 60601-1, EN/IEC 60601-1-2 EN/IEC 60601-2-21

AM IW4000 with Neotherm D20

LED Display Skin and Air Temp. Control

Order code: AM IW4200

AM IW4000 with Neotherm D10

LED Display Skin Temp. Control

Order code: AM IW4100

CE European CE Certified





Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LiFE

Everything Under One Roof!

Certified Company

25

YEARS
EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

INFANT WARMERS DELUXE

SLI-HD-7003




Smooth Bed
Tilting



Sliding X-Ray
Cassette Tray

AM IW4000A with Neotherm D20



Fixed
Bassinet
Trolley



LED Display
Skin and Air
Temp. Control

Order code: IW4200A

AM IW4000A with Neotherm D10



LED Display
Skin
Temp. Control

Order code: IW4100A

SLI-HD-7004



Smooth Bed
Tilting



Sliding X-Ray
Cassette Tray

AM IW4000AD with Neotherm D20



Detachable
Bassinet
Trolley



LED Display
Skin and Air
Temp. Control

Order code: IW4200AD

AM IW4000AD with Neotherm D10



LED Display
Skin
Temp. Control

Order code: IW4100AD





Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LiFE

Everything Under One Roof!

Certified Company

25

YEARS EXPERIENCE



GSTIN-27AFPPS3549Q1ZB

Specialist in Hospital Setup

INFANT WARMERS DELUXE

SLI-SM-021
Stand Warmer

Order code:

IW4200 S-IW4000 Stand Warmer with

Neotherm D20 Control

IW4100 S-IW4000 Stand Warmer with

Neotherm D10 Control



SLI-WM-022
Wall Mounted Warmer

Order code:

IW4200 W-IW4000 Wall

Mounted Warmer with Neotherm D20

Control

IW4100 S-IW4000 Wall Mounted

Warmer with Neotherm D10 Control



INFANT WARMERS - TEMPERATURE CONTROLS

Neotherm AM D10



LED based Large Skin Temperature Display

Audio visual Alarms including Sensor fail. Sensor Placement, Heater fails

MODES Manual and Auto

Neotherm AM D20



LED based Large Skin and Air Temperature Display

Audio visual Alarms including Sensor fail. Sensor Placement, Heater fails

MODES Manual Baby Air





Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LiFE

Everything Under One Roof!

Certified Company

25 YEARS EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

INFANT WARMERS DELUXE

Optional Modules

SLI-2 IN 1



Inbuilt LED Phototherapy

Six High power LED Lamps for intensive phototherapy treatment are placed near the heater unit.

Can be included with any model of Infant Warmer



Inbuilt Resuscitation Module

Option 1:

Easy Resuscitation with Air Oxygen Mixer, Pressure Manometer, and Max Pressure Valve Can be used with T-Piece

Option 2:

Easy Resuscitation with Air Oxygen Blender, Pressure Manometer and Max Pressure Valve Can be used with T-Piece

Slow Suction Unit can be ordered separately



INFANT WARMERS DELUXE



Inbuilt Drawer Box

2 Pull out Drawers made of MS

Can be configured with any model of Warmer



Inbuilt Pulse Ox Module



NONIN PUNISAT Technology
Superior Accuracy in Low Saturation and Dark Skin Patients *



Inbuilt Weighing Scale

Tare Facility given

Accuracy: 10 gm





Manufacturer / Suppliers / Authorized Dealers & Importers

SAVE-LIFE

Everything Under One Roof!

Certified Company

25

YEARS
EXPERIENCE



GSTIN-27AFPPS3549Q1ZB



Specialist in Hospital Setup

PREMATURE BABY INCUBATORS DELUXE

SLI-BI-8001



Optional



PB11400 Only



5.4" Color Touch
Screen TFT Display

PB13400 Only



Electronic
Height
Adjustment



LED based Large
Skin and Air
Temperature
Display

PB11100 with Neotherm O10
PB11200 with Neotherm D20
PB11400 with Neotherm I Warm



Smooth Bed
Tilting

MODES

Manual
Baby Air

Bassinet Trolley

SLI-BI-8002



SLI-BI-8003

